EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	"10579733"	US-PGPUB; USPAT	OR	ON	2009/03/04 10:21
S3	20	"6314295"	US-PGPUB; USPAT	OR	ON	2009/03/04 12:18
S4	203	"5959577"	US-PGPUB; USPAT	OR	ON	2009/03/04 12:19
S5	27	"5959577" and (fan).in.	US-PGPUB; USPAT	OR	ON	2009/03/04 12:19
S6	10080	@ad<"20031119" and (GPS or global adj position adj system) and (wire$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 12:26
S7	10080	@ad<"20031119" and (GPS or (global adj position adj system)) and (wire$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 12:33
S8	5475	@ad<"20031119" and (GPS or (global adj position adj system)) and (wire$1less or radio or mobile or cellular) near2 network and server	US-PGPUB; USPAT	OR	ON	2009/03/04 12:34
S9	85	@ad<"20031119" and (GPS or (global adj position adj system)) and (wire$1less or radio or mobile or cellular) near2 network and home adj agent	US-PGPUB; USPAT	OR	ON	2009/03/04 12:34
S10	12	"5959577" and seamless	US-PGPUB; USPAT	OR	ON	2009/03/04 12:43
S11	12	"5959577" and seam$1less	US-PGPUB; USPAT	OR	ON	2009/03/04 12:43
S12	179	"5959577" and (GPS or global adj position adj system)	US-PGPUB; USPAT	OR	ON	2009/03/04 13:35
S13	179	@ad<"20031119" and (GPS or (global adj position adj system)) and multi$1cast$7 and seam$1less	US-PGPUB; USPAT	OR	ON	2009/03/04 13:42
S14	153	@ad<"20031119" and (GPS or (global adj position adj system)) and multi$1cast$7 and seam$1less and (wire$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 14:01
S15	0	@ad<"20031119" and (GPS or (global adj position adj system)) same multi$1cast$7 same seam$1less same (wire$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 14:04
S16	0	@ad<"20031119" and (GPS or (global adj position adj system)) same multi$1cast$7 same seam$1less and (wire$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 14:05
S17	6	@ad<"20031119" and (GPS or (global adj position adj system)) same multi$1cast$7 and seam$1less and (wire$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 14:05

S18	7	@ad<"20031119" and (GPS or (global adj position adj system)) and multi$1cast$7 and seam$1less with (hand$1over or hand $3 adj off) and (wire$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 14:06
S19	8	@ad<"20031119" and (GPS or (global adj position adj system)) same seam$1less with (hand$1over or hand$3 adj off)	US-PGPUB; USPAT	OR	ON	2009/03/04 14:13
S20	259	@ad<"20031119" and seam$1less near2 (hand$1over or hand$3 adj off)	US-PGPUB; USPAT	OR	ON	2009/03/04 14:25
S21	33	@ad<"20031119" and seam$1less near2 (hand$1over or hand$3 adj off) and (GPS or (global adj position adj system))	US-PGPUB; USPAT	OR	ON	2009/03/04 14:26
S22	3	@ad<"20031119" and "5959577" and seam$1less	US-PGPUB; USPAT	OR	ON	2009/03/04 15:56
S23	40565	@ad<"20031119" and (table or data $1base) near3 server	US-PGPUB; USPAT	OR	ON	2009/03/04 15:58
S24	4388	@ad<"20031119" and (table or data $1base) near3 (server or host) and (status and preference and configuration)	US-PGPUB; USPAT	OR	ON	2009/03/04 15:59
S25	250	@ad<"20031119" and (table or data $1base) near3 (server or host) and (status and preference and configuration) with (table or data$1base)	US-PGPUB; USPAT	OR	ON	2009/03/04 15:59
S26	0	@ad<"20031119" and (table or data $1base) near3 (server or host) and (status and preference and configuration) with (table or data$1base) and home near3 agent near3 server	US-PGPUB; USPAT	OR	ON	2009/03/04 16:01
S27	0	@ad<"20031119" and (table or data $1base) near3 (server or host) and (status and preference and configuration) with (table or data$1base) and home near3 agent with (host or server)	US-PGPUB; USPAT	OR	ON	2009/03/04 16:01
S28	83	@ad<"20031119" and (table or data $1base) near3 (server or host) and (status and preference and configuration) with (table or data$1base) and (wire $1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 16:02
S29	1	@ad<"20031119" and (table or data $1base) near3 (server or host) and (terminal or device or node) with (status and preference and configuration) with (table or data$1base) and (wire$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/04 16:03
S30	3	"7222154"	US-PGPUB; USPAT	OR	ON	2009/03/04 16:04

| S31 | 196 | ("20020029186" \| "20020052965" \| "20030050019" \| "20030069029" \| "20040062213" \| "4325146" \| "4977501" \| "5081707" \| "5126941" \| "5155689" \| "5223844" \| "5313582" \| "5351052" \| "5365451" \| "5392390" \| "5406491" \| "5416473" \| "5416842" \| "5424727" \| "5436960" \| "5470233" \| "5477215" \| "5479472" \| "5487100" \| "5541583" \| "5543789" \| "5561704" \| "5565874" \| "5570417" \| "5572528" \| "5603054" \| "5608788" \| "5627549" \| "5648768" \| "5675507" \| "5682525" \| "5684859" \| "5689825" \| "5710702" \| "5712899" \| "5717392" \| "5732074" \| "5744787" \| "5745695" \| "5751227" \| "5754786" \| "5767795" \| "5771353" \| "5790642" \| "5796728" \| "5802492" \| "5809415" \| "5819046" \| "5819284" \| "5838682" \| "5839088" \| "5848373" \| "5850618" \| "5862339" \| "5864764" \| "5864823" \| "5867110" \| "5870741" \| "5884033" \| "5887254" \| "5889845" \| "5898680" \| "5900825" \| "5905865" \| "5930474" \| "5938721" \| "5941946" \| "5949776" \| "5959577" \| "5961590" \| "5982325" \| "5987062" \| "6005926" \| "6009355" \| "6014090" \| "6023708" \| "6028537" \| "6029141" \| "6035104" \| "6047236" \| "6049711" \| "6052439" \| "6052600" \| "6058422" \| "6061565" \| "6067008" \| "6072483" \| "6073165" \| "6076075" \| "6085192" \| "6088594" \| "6091956" \| "6101531" \| "6107940" \| "6108533" \| "6115754" \| "6122520" \| "6131121" \| "6134432" \| "6148261" \| "6151606" \| "6154212" \| "6154461" \| "6154745" \| "6170026" \| "6175589" \| "6185204" \| "6185205" \| "6199045" \| "6201962" \| "6202023" \| "6205211" \| "6219694" \| "6230012" \| "6236652" \| "6243572" \| "6256498" \| "6269402").PN. OR ("6285858" \| "6289464" \| "6295482" \| "6308281" \| "6321090" \| "6327533" \| "6332127" \| "6334131" \| "6342844" \| "6353398" \| "6400941" \| "6401085" \| "6408307" \| "6411679" \| "6415271" \| "6415291" \| "6421707" \| "6442598" \| "6452910" \| "6456603" \| "6468076" \| "6470179" \| "6470447" \| "6487406" \| "6490443" \| "6497371" \| "6515985" \| "6515997" \| "6519571" \| "6522875" \| "6535493" \| "6546261" \| "6546425" \| "6549612" \| "6549625" \| "6556586" \| "6563919" \| "6571290" \| "6574239" \| "6577229" \| "6584321" \| "6594488" \| "6594692" \| "6600734" \| "6611810" \| "6622124" \| "6639550" \| "6643684" \| "6650899" \| "6654359" \| "6654615" \| "6680923" \| "6687243" \| "6693886" \| "6704303" \| "6708221" \| "6714536" \| | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/03/04 16:04 |

		"6714969" | "6724833" | "6757518" | "6775563" | "6776339" | "6778832" | "6789102" | "6804720" | "6806866" | "6816083" | "6826405" | "6829587" | "6904449" | "6970850" | "7089209" | "7110744").PN.				
S32	196	S31 and @ad<"20031119"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/04 16:06
S33	6	S31 and @ad<"20031119" and (terminal or device or node) with (status or preference or configuration) with (table or data$1base)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/04 16:06
S34	1	"20040023652"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/04 16:57
S35	302	@ad<"20031119" and (wire$1less or radio or mobile or cellular) near2 network same internet same subscriber near3 info $7	US-PGPUB; USPAT	OR	ON	2009/03/04 17:01
S36	52	@ad<"20031119" and (wire$1less or radio or mobile or cellular) near2 network same internet same subscriber near3 info $7 with data$1base	US-PGPUB; USPAT	OR	ON	2009/03/04 17:01
S37	53	@ad<"20031119" and (wire$1less or radio or mobile or cellular) near2 network same internet same subscriber near3 info $7 with (data$1base or table)	US-PGPUB; USPAT	OR	ON	2009/03/04 17:01
S38	285	@ad<"20031119" and (wire$1less or radio or mobile or cellular) near2 network same internet same (user or subscriber or terminal or device) near3 (info$7 or profile or status or preference or configuration) with (data$1base or table)	US-PGPUB; USPAT	OR	ON	2009/03/04 17:13
S39	80	@ad<"20031119" and (wire$1less or radio or mobile or cellular) near2 network same internet same (user or subscriber or terminal or device) near3 (info$7 or profile or status or preference or configuration) with (data$1base or table) and (GPS or (global adj position adj system))	US-PGPUB; USPAT	OR	ON	2009/03/04 17:13
S40	9	@ad<"20031119" and (wire$1less or radio or mobile or cellular) near2 network same internet same (user or subscriber or terminal or device) near3 (info$7 or profile or status or preference or configuration) with (data$1base or table) and (GPS or (global adj position adj system)) and seam$1less	US-PGPUB; USPAT	OR	ON	2009/03/04 17:18
S41	4139	@ad<"20031119" and radio adj access adj network	US-PGPUB; USPAT	OR	ON	2009/03/05 10:00
S42	388	@ad<"20031119" and (radio adj access adj network) and (GPS or global adj position adj system)	US-PGPUB; USPAT	OR	ON	2009/03/05 10:00

S43	59	@ad<"20031119" and (radio adj access adj network) and (GPS or global adj position adj system) and multi$1cast$7	US-PGPUB; USPAT	OR	ON	2009/03/05 10:18
S44	1	@ad<"20031119" and (radio adj access adj network) and (GPS or global adj position adj system) and multi$1cast$7 and seam$1less near2 (hand$1over or hand adj (over or off))	US-PGPUB; USPAT	OR	ON	2009/03/05 10:29
S45	13	"6611688"	US-PGPUB; USPAT	OR	ON	2009/03/05 13:16
S46	2	"20020022488"	US-PGPUB; USPAT	OR	ON	2009/03/05 13:18
S47	117	@ad<"20031119" and multi$1cast$7 same ((radio or wire$1less) adj access$7 adj network)	US-PGPUB; USPAT	OR	ON	2009/03/05 13:20
S48	1	"20070243821"	US-PGPUB; USPAT	OR	ON	2009/03/05 13:43
S49	263	@ad<"20031119" and seam$1less near2 (hand$1over or hand adj (over or off))	US-PGPUB; USPAT	OR	ON	2009/03/05 15:54
S50	132	@ad<"20031119" and seam$1less near2 (hand$1over or hand adj (over or off)) and (data$1base or table)	US-PGPUB; USPAT	OR	ON	2009/03/05 15:54
S51	8	@ad<"20031119" and seam$1less near2 (hand$1over or hand adj (over or off)) and (data$1base or table) with MSC	US-PGPUB; USPAT	OR	ON	2009/03/05 16:24
S52	8	@ad<"20031119" and seam$1less near2 (hand$1over or hand adj (over or off)) and (data$1base or table) with (MSC or mobile adj switch adj center)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:24
S53	33	@ad<"20031119" and seam$1less near2 (hand$1over or hand adj (over or off)) and (data$1base or table) with rout$7	US-PGPUB; USPAT	OR	ON	2009/03/05 16:26
S54	0	@ad<"20031119" and seam$1less near2 (hand$1over or hand adj (over or off)) and (data$1base or table) with rout$7 and (data$1base or table) with connect$7 near3 type	US-PGPUB; USPAT	OR	ON	2009/03/05 16:28
S55	0	@ad<"20031119" and seam$1less near2 (hand$1over or hand adj (over or off)) and (data$1base or table) with rout$7 and (data$1base or table) with connect$7 near3 config$7	US-PGPUB; USPAT	OR	ON	2009/03/05 16:28
S56	1	@ad<"20031119" and seam$1less near2 (hand$1over or hand adj (over or off)) and (data$1base or table) with rout$7 and (data$1base or table) with (connect $7 or interfac$7 or network) near3 (config $7 or type)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:28
S57	5	@ad<"20031119" and seam$1less near2 (hand$1over or hand adj (over or off)) and (data$1base or table) with (connect $7 or interfac$7 or network) near3 (config $7 or type)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:38

S58	5	@ad< "20031119" and (seam$1less or loss $1less) near2 (hand$1over or hand adj (over or off)) and (data$1base or table) with (connect$7 or interfac$7 or network) near3 (config$7 or type)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:39
S59	1	@ad< "20031119" and seam$1less near2 (hand$1over or hand adj (over or off)) and (data$1base or table) with (connect $7 or interfac$7) near3 (config$7 or type or profile)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:45
S60	7013	@ad< "20031119" and (data$1base or table) with (connect$7 or interfac$7) near3 (config$7 or type or profile)	US-PGPUB; USPAT	OR	ON	2009/03/05 16:46
S61	175	@ad< "20031119" and (data$1base or table) with (connect$7 or interfac$7) near3 (config$7 or type or profile) and (hand$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 16:47
S62	9481	@ad< "20031119" and (data$1base or table) with (connect$7 or interfac$7) near3 (config$7 or type or profile) (data $1base or table) with rout$3 and (hand $1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 16:51
S63	81	@ad< "20031119" and (data$1base or table) with (connect$7 or interfac$7) near3 (config$7 or type or profile) and (data$1base or table) with rout$3 and (hand$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 16:51
S64	15	@ad< "20031119" and (data$1base or table) with (connect$7 or interfac$7) near3 (config$7 or type or profile) and (data$1base or table) with rout$3 and (hand$1over or hand adj (off or over)) and HLR	US-PGPUB; USPAT	OR	ON	2009/03/05 16:52
S65	175	@ad< "20031119" and (data$1base or table) with (connect$7 or interfac$7) near3 (config$7 or type or profile) and (hand$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 17:10
S66	1	@ad< "20031119" and (data$1base or table) with (connect$7 or interfac$7) near3 (config$7 or type or profile) and seam$1less near3 (hand$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 17:10
S67	8	@ad< "20031119" and (data$1base or table) with (terminal or device) near3 (config$7 or type or profile) and seam $1less near3 (hand$1over or hand adj (off or over))	US-PGPUB; USPAT	OR	ON	2009/03/05 17:11
S68	2	"20050154774"	US-PGPUB; USPAT	OR	ON	2009/03/05 17:22
S69	0	"20020016171"	USPAT	OR	OFF	2009/03/06 12:04
S70	0	"2002016171"	US-PGPUB; USPAT	OR	ON	2009/03/06 12:05
S71	1	"20020016171"	US-PGPUB; USPAT	OR	ON	2009/03/06 12:05

S72	548	@ad<"20031119" and (GPS or (global adj position adj system)) same map same server	US-PGPUB; USPAT	OR	ON	2009/03/06 15:14
S73	73	@ad<"20031119" and (GPS or (global position adj system)) same map with request$7 same server	US-PGPUB; USPAT	OR	ON	2009/03/06 15:38
S74	90	"5610821"	US-PGPUB; USPAT	OR	ON	2009/03/06 15:43
S75	54	@ad<"20031119" and (GPS or (global position adj system)) same map with request$7 same server and (wire$1less or radio or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/03/06 15:49
S76	14	((MASUGI) near2 (INOUE)).INV.	US-PGPUB; USPAT	OR	OFF	2009/03/07 09:28
S77	20	((MIKIO) near2 (HASEGAWA)).INV.	US-PGPUB; USPAT	OR	OFF	2009/03/07 09:28
S78	46	((KHALED) near2 (MAHMUD)).INV.	US-PGPUB; USPAT	OR	OFF	2009/03/07 09:28
S79	6	((HOMARE) near2 (MURAKAMI)).INV.	US-PGPUB; USPAT	OR	OFF	2009/03/07 09:28
S80	0	(S76 or S77 or S78 or S79) and (global adj position$3 adj system).clm.	USPAT	OR	OFF	2009/03/07 09:29
S81	17	(S76 or S77 or S78 or S79) and (position $3 or locat$3).clm.	USPAT	OR	OFF	2009/03/07 09:29
S82	1	(S76 or S77 or S78 or S79) and ((position $3 or locat$3) and (wire$1less or mobile or cellular or radio)).clm.	USPAT	OR	OFF	2009/03/07 09:30
S83	236	(370/432).ccls. and ((position$3 or locat $3) and (wire$1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:31
S84	9	(370/432).ccls. and ((GPS or global adj position$3 adj system) and (wire$1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:31
S85	21	(370/431,432).ccls. and ((GPS or global adj position$3 adj system) and (wire $1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:32
S86	518	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position$3 adj system) and (wire$1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:33
S87	425	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position$3 adj system) and (wire$1less or mobile or cellular or radio) near3 network)	USPAT	OR	OFF	2009/03/07 09:34
S88	252	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position$3 adj system) and (wire$1less or mobile or cellular or radio) near3 network and map$4)	USPAT	OR	OFF	2009/03/07 09:34
S89	45	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position$3 adj system) and (wire$1less or mobile or cellular or radio) near3 network and map$4 with request$3)	USPAT	OR	OFF	2009/03/07 09:35

S90	1	(370/431,432).ccls. and ((GPS or global adj position$3 adj system) and (wire $1less or mobile or cellular or radio) near3 network and map$4 with request $3)	USPAT	OR	OFF	2009/03/07 09:35
S91	35	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position$3 adj system) and (wire$1less or mobile or cellular or radio) near3 network and map$4 with request$3) and @ad<"20031119"	USPAT	OR	OFF	2009/03/07 09:36
S92	2	(455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position$3 adj system) and (wire$1less or mobile or cellular or radio) near3 network and map$4 with request$3 and (hand$1over or hand adj (over or off))) and @ad<"20031119"	USPAT	OR	OFF	2009/03/07 09:37
S93	493	@ad<"20031119" and seam$1less near2 (hand$1over or hand$3 adj off or roam$3 or session near2 continu$7)	US-PGPUB; USPAT	OR	ON	2009/08/31 15:17
S94	2	@ad<"20031119" and seam$1less near2 (hand$1over or hand$3 adj off or roam$3 or session near2 continu$7) same multi $1cast$4	US-PGPUB; USPAT	OR	ON	2009/08/31 15:18
S95	35	@ad<"20031119" and (seam$1less near2 (hand$1over or hand$3 adj off or roam $3) or session near2 continu$7) same multi$1cast$4	US-PGPUB; USPAT	OR	ON	2009/08/31 15:19
S96	144	@ad<"20031119" and (seam$1less near2 (hand$1over or hand$3 adj off) or roam $3 or session near2 continu$7) same multi $1cast$4	US-PGPUB; USPAT	OR	ON	2009/08/31 15:19
S97	177	@ad<"20031119" and (seam$1less near2 roam$3 or session near2 continu$7 or (hand$1over or hand$3 adj off)) same multi$1cast$4	US-PGPUB; USPAT	OR	ON	2009/08/31 15:19
S98	28	@ad<"20031119" and (seam$1less near2 roam$3 or session near2 continu$7 or (hand$1over or hand$3 adj off)) same multi$1cast$4 same (radio or wire$1less or mobile or cellular) near2 network	US-PGPUB; USPAT	OR	ON	2009/08/31 15:20
S99	9171	@ad<"20031119" and (BAN or basic near2 access near2 network)	US-PGPUB; USPAT	OR	ON	2009/09/01 08:52
S100	4	@ad<"20031119" and (BAN or basic near2 access near2 network) same multi $1cast$4	US-PGPUB; USPAT	OR	ON	2009/09/01 08:52
S101	103	@ad<"20031119" and (seam$1less near2 roam$3 or session near2 continu$7 or (hand$1over or hand$3 adj off)) with multi $1cast$4	US-PGPUB; USPAT	OR	ON	2009/09/01 08:59
S102	0	@ad<"20031119" and (seam$1less near2 roam$3 or session near2 continu$7 or (hand$1over or hand$3 adj off)) with multi $1cast$4 near3 (through or by)	US-PGPUB; USPAT	OR	ON	2009/09/01 08:59
S103	704	@ad<"20031119" and mobile near3 IP with (register$7 or updat$4)	US-PGPUB; USPAT	OR	ON	2009/09/01 09:34

S104	22	@ad<"20031119" and mobile near3 IP with (register$7 or updat$4) with multi $1cast$4	US-PGPUB; USPAT	OR	ON	2009/09/01 09:35
S105	11894	(455/3.01,3.04,403,422.1-444).ccls.	USPAT	OR	OFF	2009/12/22 10:41
S106	20887	(455/3.01,3.04,403,422.1-444).ccls.	US-PGPUB; USPAT	OR	ON	2009/12/22 10:41
S107	748	(455/3.01,3.04,403,422.1-444).ccls. and @ad<"20031119" and seamless	US-PGPUB; USPAT	OR	ON	2009/12/22 10:41
S108	748	(455/3.01,3.04,403,422.1-444).ccls. and @ad<"20031119" and seam$1less	US-PGPUB; USPAT	OR	ON	2009/12/22 10:41
S109	12	(455/3.01,3.04,403,422.1-444).ccls. and @ad<"20031119" and seam$1less same multi$1cast$4	US-PGPUB; USPAT	OR	ON	2009/12/22 10:41
S110	0	(455/3.01,3.04,403,422.1-444).ccls. and @ad<"20031119" and seam$1less with (roam$4) same multi$1cast$4	US-PGPUB; USPAT	OR	ON	2009/12/22 10:43
S111	7	(370/431-432).ccls. and @ad<"20031119" and seam$1less same multi$1cast$4	US-PGPUB; USPAT	OR	ON	2009/12/22 10:43
S112	1	(370/431-432).ccls. and @ad<"20031119" and seam$1less same (roam$4 or hand $1off) same multi$1cast$4	US-PGPUB; USPAT	OR	ON	2009/12/22 10:46
S113	5	(455/3.01,3.04,403,422.1-444).ccls. and @ad<"20031119" and seam$1less same multi$1cast$4 same (roam$4 or hand $1off)	US-PGPUB; USPAT	OR	ON	2009/12/22 10:46
S114	0	(455/3.01,3.04,403,422.1-444).ccls. and (seam$1less and multi$1cast$4 and (roam $4 or hand$1off)).clm.	US-PGPUB; USPAT	OR	ON	2009/12/22 10:47

12/22/2009 10:57:36 AM
C:\ Documents and Settings\ cjiang1\ My Documents\ EAST\ Workspaces\ 10579733.wsp